| | | 1MA1 Pract | ce papers Set 3: Pap | er 1F (R | egular) mark scheme – Version 1.0 |
|-----|---------------------|------------|--|----------|--|
| Que | stion | Working | Answer | Mark | Notes |
| 1. | | | $\frac{2}{5}, \frac{1}{2}, \frac{3}{5}, \frac{3}{4}$ | 3 | M1 for correct method to change two fractions to marks or percentages or fractions with a common denominator or decimals with at least one conversion correct. |
| | | | | | M1 for correct method to change two fractions to marks or percentages or fractions with a common denominator or decimals with all conversions correct |
| | | | | | A1 for the correct order. |
| 2. | (<i>a</i>) (i) | | (2, 3) | 2 | B1 cao |
| | (ii) | | (-3, 1) | | B1 cao |
| | (b) | | Point plotted at (3, -4) | 1 | B1 cao |
| 3. | | 1000 ÷ 80 | 12 | 3 | P1 for working in consistent units with correct operation (maybe repeated subtraction from $\pounds 10$ or repeated addition to get to $\pounds 10$) |
| | | | | | P1 for 12.5 or 12 with remainder 4 |
| | | | | | A1 cao |
| 4. | (a) | | Four thousand, one hundred and seventeen | 1 | B1 for four thousand, one hundred and seventeen oe |
| | <i>(b)</i> | | 4100 | 1 | B1 for 4100 in figures or words or 41 hundred |

1MA1 Practice Papers: Set 3 Regular (1F) mark scheme – Version 1.0 This publication may only be reproduced in accordance with Pearson Education Limited copyright policy. ©2016 Pearson Education Limited.

| | | 1MA1 Practi | ice papers Set 3: Pap | er 1F (R | egular) mark scheme – Version 1.0 |
|-----|------------------------------|-------------|---|----------|---|
| Que | stion | Working | Answer | Mark | Notes |
| 5. | (<i>a</i>) (<i>b</i>) | | (1 A) (2 A) (6 A) (1 C) (2 C) (6 C) (1 E) (2 E) (6 E) $\frac{1}{9}$ | 2 | B2 for all 9 (no extras, ignore repeats) (B1 for at least 5 correct) M1 ft from (a) for denominator of '9' or numerator of 'number of outcomes including 2 and E' seen A1 cao |
| | | | | | OR M1 for $\frac{1}{3} \times \frac{1}{3}$ A1 cao |
| 6. | | | No and e.g. £4.10, £4 or 10p | 3 | M1 for adding at least 3 of 1.25, 1.15, 85, 85 A1 for 4.1(0) or 410 C1 ft (dep on M1) for correct statement comparing £4 and their total (units must be given and correct) or for correct statement referring to difference e.g. 10p short (units must be given and correct) OR M1 for finding at least one difference between coins and costs e.g. $2 - 0.85 - 0.85$ or $1.15 - 1$ or $1.25 - 1$ A1 for 0.10 or 10 C1 ft (dep on M1) for correct statement referring to total difference units (must be given and correct) (SC : B1 for correct figures with no working e.g. £4.10 and £4 or 10p) |

| | 1MA1 Practice papers Set 3: Paper 1F (Regular) mark scheme – Version 1.0 | | | | | | | | |
|-----|--|---------|-----------------|------|-------|--|--|--|--|
| Que | estion | Working | Answer | Mark | Notes | | | | |
| 7. | <i>(a)</i> | | 3:1 | 1 | B1 | | | | |
| | (b) | | $\frac{1}{4}$ | 1 | B1 | | | | |
| | (c) | | $\frac{31}{40}$ | 1 | B1 | | | | |

| | | 1MA1 Pract | ice papers Set 3: Pap | er 1F (R | egular) mark scheme – Version 1.0 |
|-----|-------|------------|----------------------------------|----------|--|
| Que | stion | Working | Answer | Mark | Notes |
| 8. | | | 0.6 is bigger than $\frac{2}{5}$ | 3 | M1 for 0.4 or 40% or fraction equivalent to $\frac{2}{5}$ with denominator = 10,15,20 OR 60% or $\frac{3}{5}$ or a fraction equivalent to $\frac{3}{5}$ with denominator = 10,15,20 A1 for two comparable figures e.g. (0.6) ,0.4 or 40% , 60% or $\frac{3}{5}$, $\left(\frac{2}{5}\right)$ or $\frac{6}{10}$, $\frac{4}{10}$ etc C1 (dep on M1) ft for correct statement from their figures OR M1 for a correct method involving shading or calculation e.g. drawing a rectangle 2 by 5 and shading 6 squares or 4 squares or correct method to find $\frac{2}{5}$ or 0.6 of a number A1 correct comparable figures e.g. two 2×5 rectangles, one with 4 squares shaded, one with 6 squares shaded or $\frac{2}{5} \times 20 = 8$ and 0.6 × 20 = 12 C1 (dep on M1) ft for correct statement from their figures OR M1 $\frac{2}{5}$ < half or 0.6 > half A1 $\frac{2}{5}$ < half and 0.6 > half C1 (dep on M1) ft for correct statement from their figures |

| | | 1MA1 Practi | ce papers Set 3: Pap | er 1F (R | egular) mark scheme – Version 1.0 |
|-----|--------------|----------------|----------------------|----------|--|
| Que | stion | Working | Answer | Mark | Notes |
| 9. | <i>(a)</i> | | 4 | 1 | B1 cao |
| | <i>(b)</i> | 14 - 4 - 8 = 2 | 2 | 3 | M1 for 4×2 (=8) blue counters |
| | | | | | M1 for 14 – "8" – 4 or 10 – "8" |
| | | | | | A1 cao |
| | | | | | OR |
| | | | | | M1 for P(B) = $2 \times \frac{4}{14}$ oe (= $\frac{8}{14}$ oe) |
| | | | | | M1 for 1 - $\frac{"8"}{14} - \frac{4}{14}$ oe or P(Y)= $\frac{2}{14}$ oe or $\frac{2}{14} \times 14$ oe A1 cao |
| 10. | (<i>a</i>) | | Trapezium | 1 | B1 |
| | <i>(b)</i> | | 60 | 1 | B1 for 60 ± 2 |
| | (<i>c</i>) | | obtuse | 1 | B1 |

| | | 1MA1 Practi | ce papers Set 3: Pape | er 1F (R | egular) mark scheme – Version 1.0 |
|-----|------------|---|--|----------|--|
| Que | stion | Working | Answer | Mark | Notes |
| 11. | <i>(a)</i> | | 08 50 | 1 | B1 for 08 50 or 8 50 (am) or 10 to 9 |
| | <i>(b)</i> | 13 43 – 13 29 | 14 | 1 | B1 cao |
| | (c) | e.g. HL to SC: 11 02 – 11 41 | A fully correct plan showing | 4 | B1 for a departure time of 08 02 or 09 04 or 10 12 or 11 02 from HL |
| | | Visit (at least 3 hours) SC to HL: $15 \ 16 - 15 \ 49$ [Note : there are 9 possible | departure times and arrival times of the two bus journeys | | M1 (indep) for a correct arrival time at SC and a correct departure time from SC (or Cartbridge St) which allows for a stay of at least 3 hours in SC (the differencing does not have to be seen) |
| | | solutions] | | | OR for correctly adding 3 hours to a their arrival time at SC |
| | | | | | B1 for a departure time from SC of 13 20 (13 11 from CS) or 14 24 (14 14 from CS) or 15 16 (15 07 from CS) |
| | | | | | C1 (dep on M1) for a complete correct plan which includes the departure and arrival times of the two bus journeys |
| | | | [Note: bus departure times may be identified by their starting times. E.g. the 15 07 from Cartbridge Street would be acceptable for the identification of the bus which arrives a HL at 15 49] | | |
| 12. | <i>(a)</i> | | 120 | 2 | M1 4 × 30 |
| | | | | | A1 cao |
| | <i>(b)</i> | | Tuesday | 3 | M1 for $200 \div 8 \times 5$ or "120" $\div 5 \times 8$ |
| | | | 125 miles > 120 | | A1 for 125 or 192 or ft from "a" |
| | | | miles 200 km > 192 km | | C1 (dep M1) Correct conclusion for their calculated figure with its correct units stated. |
| | | | | | of "125" <u>miles</u> and "a" miles or " 192" <u>km</u> and 200 km |

| | 1MA1 Practice papers Set 3: Paper 1F (Regular) mark scheme – Version 1.0 | | | | | | | |
|-----|--|----|---------|--------|------|---|--|--|
| Que | Question | | Working | Answer | Mark | Notes | | |
| 13. | (<i>a</i>) | | | | 1 | B1 cao | | |
| | <i>(b)</i> | 4 | 13 | 13 | 3 | B3 all three entries correct or ft "13" with 31 and 25 | | |
| | | 10 | 31 | 31 | | [B1 one correct entry, ft "13"] | | |
| | | 25 | 76 | 25 | | | | |
| | (<i>c</i>) | | | 3n + 1 | 2 | M1 for $3n + a$ where <i>a</i> is an integer $\neq 1$ or n=3n+1 | | |
| | | | | | | A1 for 3 <i>n</i> + 1 | | |

| | 1MA1 Practic | e papers Set 3: Pap | er 1F (R | egular) mark scheme – Version 1.0 |
|----------|--|---------------------|----------|--|
| Question | Working | Answer | Mark | Notes |
| 14. | Acton after 24, 48, 72, 96, 120 | 11:00 am | 3 | M1 for listing multiples of 20 and 24 with at least 3 numbers in each list ; multiples could be given in minutes or in hours and |
| | Barton after 20, 40, 60, 80, 100, 120 | | | minutes (condone one addition error in total in first 3 numbers in lists) |
| | LCM of 20 and 24 is 120 | | | A1 identify 120 (mins) or 2 (hours) as LCM |
| | 9:00 am + 120 minutes | | | A1 for 11:00 (am) or 11(am) or 11 o'clock |
| | OR | | | |
| | Acton after 24, 48, 1h 12 | | | OR |
| | m, | | | M1 for listing times after 9am when each bus leaves the bus |
| | 1h 36m, 2h | | | station, with at least 3 times in each list |
| | Barton after 20, 40, 1 h, 1h 20m, 1h 40m, 2h | | | (condone one addition error in total in first 3 times after 9am in lists) |
| | LCM is 2 hours | | | A1 for correct times in each list up to and including 11:00 |
| | 9:00 am + 2 hours | | | A1 for 11:00 (am) or 11(am) or 11 o'clock |
| | OR | | | |
| | Times from 9:00 am when | | | OR |
| | each bus leaves the bus station | | | M1 for correct method to write 20 and 24 in terms of their prime factors 2, 2, 5 and 2, 2, 2, 3 |
| | Acton at 9:24, 9:48, 10: 12, 10:36, 11:00 | | | (condone one error) |
| | Barton at 9: 20, 9: 40, 10: 00, 10:20, 10:40, 11:00 | | | A1 identify 120 as LCM A1 for 11:00 (am) or 11(am) or 11 o'clock |
| | OR | | | |
| | $20 = 2 \times 2 \times 5$ | | | |
| | $24 = 2 \times 2 \times 2 \times 3$ | | | |
| | $2 \times 2 \times 2 \times 3 \times 5 = 120$ | | | |

| | | 1MA1 Pract | ice papers Set 3: Pap | er 1F (R | egular) mark scheme – Version 1.0 |
|-----|--------------|---|-----------------------|----------|---|
| Que | stion | Working | Answer | Mark | Notes |
| 15. | <i>(a)</i> | 2x + 6y + 4x - 4y | 6x + 2y | 2 | M1 for $2x + 6y$ or $4x - 4y$ or $6x$ or $2y$ |
| | | | | | A1 for $6x + 2y$ [accept $2(3x + y)$] |
| | <i>(b)</i> | $2 \times 4 \times p - 3 \times 4 \times p \times q$ | 4p(2-3q) | 2 | B2 cao |
| | | | | | [B1 for $2p(4-6q)$ or $p(8-12q)$ or $4(2p-3pq)$ or |
| | | | | | $2(4p-6pq)$ or $4p(a+bq)$ where $a \neq 0$ and $b \neq 0$] |
| 16. | (<i>a</i>) | $30 = 2 \times 3 \times 5$ $42 = 2 \times 3 \times 7$ HCF = 2 × 3 | 6 | 2 | M1 for 30 or 42 written correctly as a product of prime factors or attempt to list the factors of 30 and 42 (at least 4 for each including 6) |
| | (1) | | 00 | | A1 for HCF = 6 M1 for listing multiples of 20 and 45 (at least (0 and 00) or |
| | (<i>b</i>) | 30 , 60, 90, 45, 90, 135, | 90 | 2 | M1 for listing multiples of 30 and 45 (at least 60 and 90) or $2 \times 3 \times 5 \times 3$ |
| | | | | | A1 for $LCM = 90$ |
| | | | | | SC B1 for 210 |
| 17. | | $2 \times 2 \times 2 = 8$ | 4 | 3 | M1 for $2 \times 2 \times 2 \div 2$ oe or $1 + 1 + 0.5 + 0.5 + 0.5 + 0.5$ oe |
| | | $8 \div 2 = 4$ | cm ³ | | A1 cao |
| | | | | | B1 (indep) for cm ³ |

| | | 1MA1 Practi | ce papers Set 3: Pap | er 1F (R | egular) mark scheme – Version 1.0 |
|-----|--------------|-------------|----------------------|----------|--|
| Que | stion | Working | Answer | Mark | Notes |
| 18. | | | 20 | 3 | M1 for $330 \div 120 (= 2.75)$ or $200 \div 60 (= 3^{-1}/_3)$ or $450 \div 180 (= 2.5)$ |
| | | | | | M1 for 450 ÷ 180 (= 2.5) AND 8 × "2.5"(= 20) |
| | | | | | A1 cao |
| | | | | | OR |
| | | | | | M1 for 120 ÷ 8 (= 15) or 60 ÷ 8 (= 7.5) or 180 ÷ 8 (= 22.5) |
| | | | | | M1 for $330 \div (120 \div 8) (= 22)$ or $200 \div (60 \div 8) (= 26.6)$ or $450 \div (180 \div 8) (= 20)$ |
| | | | | | A1 cao |
| | | | | | OR |
| | | | | | M1 for multiples of 120:60:180, e.g. 240:120:360 |
| | | | | | M1 for multiples linked to 450 and 8+8+4 or scaling 2.5 oe |
| | | | | | A1 cao |
| 19. | <i>(a)</i> | | 0.6 | 2 | B1 for 0.6 in correct position on tree diagram |
| | | | 0.7, 0.3, 0.7 | | B1 for 0.7, 0.3, 0.7 in correct positions on tree diagram |
| | (<i>b</i>) | 0.4 × 0.3 = | 0.12 | 2 | M1 for 0.4×0.3 oe or a complete alternative method ft from tree diagram |
| | | | | | A1 for 0.12 oe |

| | 1MA1 Pract | tice papers Set 3: Pap | er 1F (R | egular) mark scheme – Version 1.0 |
|----------|--|---------------------------------------|----------|---|
| Question | Working | Answer | Mark | Notes |
| 20. | $2.25 \times 60 \div 100 = 1.35$ 1.35 + 0.80 = 2.15 | Railtickets with correct calculations | 4 | NB. All work may be done in pence throughout |
| | $1.5 \times 60 \div 100 = 0.90$ 0.90 + 1.90 = 2.80 | | | M1 for correct method to find credit card charge for one company e.g. $0.0225 \times 60 (= 1.35)$ oe or $0.015 \times 60 (= 0.9)$ oe |
| | | | | M1 (dep) for correct method to find total additional charge or total price for one company e.g. $0.0225 \times 60 + 0.80$ or $0.015 \times 60 + 1.90$ or 2.15 or $2.8(0)$ or 62.15 or $62.8(0)$ |
| | | | | A1 for 2.15 and 2.8(0) or 62.15 and 62.8(0) |
| | | | | C1 (dep on M1) for a statement deducing the cheapest company, but figures used for the comparison must also be stated somewhere, and a clear association with the name of each company |
| | | | | OR |
| | | | | M1 for correct method to find percentage of (60+booking fee) |
| | | | | e.g. $0.0225 \times 60.8 (= 1.368)$ oe or $0.015 \times 61.9 (= 0.9285)$ |
| | | | | M1 (dep) for correct method to find total cost or total additional cost e.g. $'1.368' + 60.8(= 62.168)$ or $'1.368' + 0.8 (= 2.168)$ or |
| | | | | '0.9285' + 61.9 (= 62.8285) or '0.9285' +1.9 (= 2.8285) |
| | | | | A1 for 62.168 or 62.17 AND 62.8285 or 62.83 OR |
| | | | | 2.168 or 2.17 AND 2.8285 or 2.83 |
| | | | | C1 (dep on M1) for a statement deducing the cheapest company, but figures used for the comparison must also be stated somewhere, and a clear association with the name of each company |
| | | | | |

| | | 1MA1 Pract | ice papers Set 3: Pap | er 1F (R | egular) mark scheme – Version 1.0 |
|-----|------------|--|-----------------------|----------|---|
| Que | stion | Working | Answer | Mark | Notes |
| | | OR | | | OR M1 for correct method to find difference in cost of credit card charge e.g. $(2.25 - 1.5) \times 60 \div 100$ oe or 0.45 seen |
| | | 2.25 - 1.5 = 0.75 $0.075 \times 60 \div 100 = 0.45$ | | | M1 (dep) for using difference with booking fee or finding difference between booking fees e.g. $0.80 + 0.45$ (=1.25) or $1.90 - 0.45$ (=1.45) or $1.90 - 0.8$ (=1.1(0)) |
| | | 0.80 + 0.45 = 1.25 | | | A1 1.25 and 1.9(0) or 0.45 and 1.1(0) |
| | | 1.25 < 1.90 | | | C1 (dep on M1) for a statement deducing the cheapest company, but figures used for the comparison must also be stated somewhere, and a clear association with the name of each company |
| | | | | | QWC: Decision and justification should be clear with working clearly presented and attributable |
| 21. | <i>(a)</i> | | 3.85×10^{-3} | 1 | B1 cao |
| | <i>(b)</i> | | 729 100 | 1 | B1 cao |
| | (c) | | 4×10^{11} | 2 | M1 for $2.4 \div 6 \times 10^{10^{-2}}$ oe or $4(.0) \times 10^{n}$ or 4000 000 000 000 |
| | | | | | A1 cao |
| 22. | <i>(a)</i> | $8.2 \times 10000 \div 100$ | 820 | 2 | M1 for 8.2 (\pm 0.2) × 10000 ÷ 100 oe |
| | | | | | A1 for 800 – 840 |
| | | | | | (SC B1 for 8.2 (± 0.2) × 10 ^{<i>n</i>} , where $n \ge 1$, e.g. 82) |
| | <i>(b)</i> | | 130 | 1 | B1 for 128 – 132 |

| | Source of questions | | | | | | | | Mean scores of students achieving grade: | | | | | |
|-------|---------------------|-------|---------|------|----------------------------------|-------|-------------------|------|--|------|------|------|------|--|
| | | | | | | Max | Mean | | | | | | | |
| Qu No | Spec | Paper | Session | Qn | Торіс | score | % all | ALL | С | D | E | F | G | |
| 1 | 5AM1 | 1F | 1411 | Q03b | Fractions | 3 | 64 | 1.91 | 2.95 | 2.26 | 1.56 | 0.93 | 0.29 | |
| 2 | 1MA0 | 1F | 1206 | Q05 | Coordinates in 2D | 3 | 91 | 2.72 | 2.94 | 2.89 | 2.79 | 2.62 | 2.26 | |
| 3 | NEW QUESTION | | | | Simplifying expressions | 3 | No data available | | | | | | | |
| 4 | 1380 | 1F | 906 | Q08 | Rounding to dp or sf | 2 | 88 | 1.75 | 1.93 | 1.88 | 1.76 | 1.51 | 1.16 | |
| 5 | 5MM1 | 1F | 1111 | Q15 | Sample space diagrams | 4 | 67 | 2.69 | 3.71 | 3.05 | 2.61 | 1.70 | 0.97 | |
| 6 | 1MA0 | 1F | 1306 | Q13 | Money calculations | 3 | 74 | 2.22 | 2.68 | 2.53 | 2.37 | 2.10 | 1.67 | |
| 7 | NEW QUESTION | | | | Ratio | 3 | | | No data available | | | | | |
| 8 | 5MM1 | 1F | 1306 | Q07 | Fractions, percentages, decimals | 3 | 46 | 1.39 | 2.67 | 2.09 | 1.31 | 0.54 | 0.18 | |
| 9 | 5MM1 | 1H | 1111 | Q04 | Probability | 4 | 90 | 3.61 | 3.39 | 3.47 | 1.00 | | | |
| 10 | 2540 | 1F | 811 | Q07 | Properties of 2D shapes | 3 | 60 | 1.81 | 2.40 | 1.99 | 1.52 | 1.06 | 0.58 | |
| 11 | 1MA0 | 1F | 1211 | Q14 | Time calculations | 6 | 60 | 3.60 | 4.80 | 4.16 | 3.50 | 2.75 | 2.06 | |
| 12 | 1MA0 | 1F | 1311 | Q18 | Compound measures | 5 | 48 | 2.42 | 3.67 | 2.76 | 2.19 | 1.60 | 1.09 | |
| 13 | 5MM1 | 1F | 1106 | Q08 | Pattern sequences | 6 | 48 | 2.86 | 4.40 | 3.46 | 2.75 | 2.35 | 1.90 | |
| 14 | 1MA0 | 1H | 1206 | Q07 | Time calculations | 3 | 67 | 2.00 | 1.87 | 1.20 | 0.58 | | | |
| 15 | 5MM1 | 1H | 1106 | Q08 | Simplify expressions | 4 | 68 | 2.71 | 2.44 | 1.45 | 1.00 | | | |
| 16 | 5MM1 | 1H | 1206 | Q12 | HCF and LCM | 4 | 70 | 2.79 | 2.29 | 1.72 | 1.27 | | | |
| 17 | 1380 | 1F | 1011 | Q24 | Volume | 3 | 29 | 0.86 | 1.63 | 0.89 | 0.45 | 0.21 | 0.16 | |
| 18 | 1MA0 | 1F | 1511 | Q19 | Ratio | 3 | 39 | 1.17 | 1.55 | 1.25 | 0.95 | 0.67 | 0.46 | |
| 19 | 1MA0 | 1H | 1206 | Q19 | Probability tree diagrams | 4 | 60 | 2.40 | 1.82 | 1.15 | 0.57 | | | |
| 20 | 1MA0 | 1H | 1206 | Q10 | Percentages | 4 | 55 | 2.19 | 1.78 | 0.54 | 0.16 | | | |
| 21 | 5MM1 | 1H | 1506 | Q13 | Standard form | 4 | 59 | 2.36 | 1.62 | 0.82 | 0.60 | | | |
| 22 | 1380 | 1F | 1106 | Q15 | Bearings | 3 | 17 | 0.52 | 1.12 | 0.64 | 0.31 | 0.14 | 0.09 | |
| | | | | | | 80 | | | | | | | | |

National performance data from Results Plus