

**IMA1 Practice papers Set 4: Paper 2H (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
1.	(a)		5, 0, -3, -4, -3, 0, 5	2	B2 (B1 for two correct)
	(b)		Correct graph	2	B2 for the correct smooth curve  B1 for at least 6 points from table plotted correctly provided at least B1 scored in (a)
2.			15.42	4	M1 for method to find litres needed for either car A (e.g. $450 \div 10.3 (= 43.69)$ ) or car B (e.g. $450 \div 14.6 (= 30.82)$ )  M1 for method to find cost of fuel for either car A (e.g. $1.39 \times 43.69 (= 60.73)$ ) or car B (e.g. $1.47 \times 30.82 (= 45.31)$ )  M1 (dep M2) or method to find difference in fuel costs for car A and B  A1 cao
3.		$x + x - 5 + 2x < 30$ $x + x + 2x < 30 + 5$ $4x < 35$ $x < 35 \div 4$	8	4	M1 for $x - 5$ for Martin or $2x$ for James  M1 (dep on M1) for $x + 'x - 5' + '2x' < 30$ (or = 30)  M1 (dep on M2) for complete correct method to solve their equality or inequality or 8.75 (oe) seen  A1 cao

**IMA1 Practice papers Set 4: Paper 2H (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
4.		$7200 \div 0.75$ $75\% = 7200$ $1\% = 7200 \div 75 = 96$ $100\% = 96 \times 100$	9600	3	M2 for $7200 \div (1 - 0.25)$ A1 for 9600
5.			Yes	3	M1 for $1 - 0.6 (= 0.4)$ M1 for $(“0.4”)^3$ (oe) C1 (dep on M1) for 0.064 (oe) leading to a correct deduction
6.	(a)		3, 6, 9	1	B1 (condone {3, 6, 9})
	(b)		{2, 3, 4, 6, 8, 9,10}	1	B1 (condone omission of brackets)
	(c)		{6}	1	B1 (condone omission of brackets)
	(d)		3, 9	2	B2 cao (B1 for one of 3, 9 with no incorrect numbers <b>or</b> 3, 6, 9)
7.			0, 1, 2	2	B2 for 0, 1, 2 (B1 for one error or one omission or one addition) OR B1 for $(x =) -2, -1, 0, 1, 2$ and $(y =) 0, 1, 2, 3, 4$ (oe),

**IMA1 Practice papers Set 4: Paper 2H (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
<b>8.</b>	(a)		Liz explanation	1	B1 Liz because she carried out most trials
	(b)	$12 + 34 + 57 = 103$ $40 + 100 + 300$ $103 \mid 40$	$0.23$ or $\frac{103}{440}$	2	M1 $(12 + 34 + 57)/b$ where $b > 103$ or $a/(12 + 28 + 34 + 66 + 57 + 243)$ where $a < 440$ A1 $0.23$ or $0.234(09..)$ or $\frac{103}{440}$ (oe)
<b>9.</b>			32.2 (cm)	4	M1 for $BC = \frac{10}{4} \times 5 (= 12.5)$ M1 for $EC = \frac{10}{4} \times 5.8 - 5.8 (= 8.7)$ M1(dep on at least M1) for '12.5' + '8.7' + 5 + 6 A1 cao

**IMA1 Practice papers Set 4: Paper 2H (Regular) mark scheme – Version 1.0**

<b>Question</b>	<b>Working</b>	<b>Answer</b>	<b>Mark</b>	<b>Notes</b>																																
<b>10.</b>	e.g. $4a + 3b = 250$ $3a + 4b = 240$  $(\times 3) \quad 12a + 9b = 750$ $(\times 4) \quad 12a + 16b = 960$  Subtract $7b = 210$ so $b = 30$  Substitute $4a + 90 = 250$ $4a = 250 - 90 = 160$	(i) 40  (ii) 30	5	B1 for correct equations expressed in terms of two variables (oe)  M1 for correct process to eliminate either variable (condone one arithmetic error)  A1 for either (£)0.4 or (£)0.3 (oe)  M1 (dep on first M1) for correct substitution of their found variable  A1 cao for both (i) 40 and (ii) 30																																
<b>11.</b>	<table border="0"> <thead> <tr> <th><b>Years</b></th> <th><b>Value at end of year</b></th> </tr> </thead> <tbody> <tr><td>1</td><td>1.05</td></tr> <tr><td>2</td><td>1.1025</td></tr> <tr><td>3</td><td>1.157625</td></tr> <tr><td>4</td><td>1.21550625</td></tr> <tr><td>5</td><td>1.276281563</td></tr> <tr><td>6</td><td>1.340095641</td></tr> <tr><td>7</td><td>1.407100423</td></tr> <tr><td>8</td><td>1.477455444</td></tr> <tr><td>9</td><td>1.551328216</td></tr> <tr><td>10</td><td>1.628894627</td></tr> <tr><td>11</td><td>1.710339358</td></tr> <tr><td>12</td><td>1.795856326</td></tr> <tr><td>13</td><td>1.885649142</td></tr> <tr><td>14</td><td>1.979931599</td></tr> <tr><td>15</td><td>2.078928179</td></tr> </tbody> </table>	<b>Years</b>	<b>Value at end of year</b>	1	1.05	2	1.1025	3	1.157625	4	1.21550625	5	1.276281563	6	1.340095641	7	1.407100423	8	1.477455444	9	1.551328216	10	1.628894627	11	1.710339358	12	1.795856326	13	1.885649142	14	1.979931599	15	2.078928179	15	2	M1 for writing an equation e.g. $1.05^n = 2$ or for a correct method to find total value up to the end of at least year 5 or for at least 3 trials of $n$ into $1.05^n$ or using $n \log 1.05 = \log 2$  A1 for 15 years
<b>Years</b>	<b>Value at end of year</b>																																			
1	1.05																																			
2	1.1025																																			
3	1.157625																																			
4	1.21550625																																			
5	1.276281563																																			
6	1.340095641																																			
7	1.407100423																																			
8	1.477455444																																			
9	1.551328216																																			
10	1.628894627																																			
11	1.710339358																																			
12	1.795856326																																			
13	1.885649142																																			
14	1.979931599																																			
15	2.078928179																																			

**1MA1 Practice papers Set 4: Paper 2H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
<b>12.</b>		$\frac{17}{40}$	3	M1 $\frac{4}{5} \cdot \frac{3}{8}$ or $\frac{1}{5} \cdot \frac{5}{8}$ or $\frac{12}{40} \cdot \frac{5}{40}$  M1 $\frac{4}{5} \cdot \frac{3}{8} + \frac{1}{5} \cdot \frac{5}{8}$  A1 $\frac{17}{40}$ oe
<b>13.</b>	$50(2x - 10) - 35(x + 20)$ $= 1725$  $100x - 500 - 35x - 700$ $= 1725$  $65x - 1200 = 1725$  $65x = 1725 + 1200 = 2925$  $x = 2925 \div 65 = 45$  (A =) $50 \times 80 = 4000$	4000	4	M1 for $50(2x - 10) - 35(x + 20) = 1725$ (oe)  M1 for an attempt to reducing to the form $65x = b, b > 0$ or $(x =) 45$  M1 for $50 \times (2 \times "45" - 10)$ or $35 \times ("45" + 20) + 1725$  A1 cao

**IMA1 Practice papers Set 4: Paper 2H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
<b>14.</b>	$d$ : UB = 190.5 (190.49..) LB = 189.5  $f$ : UB = 25.75 (25.749..) LB = 25.65	7.4  because the LB and UB agree to that number of figures	5	B1 for one correct bound of $d$  B1 for one correct bound of $f$  M1 for a correct method to find the upper bound of $c$ , e.g. "190.5" ÷ "25.65" (= 7.4269....) or for a correct method to find the lower bound of $c$ , e.g. "189.5" ÷ "25.75" (= 7.359....)  A1 for 7.42(69... ) and 7.35(92...)  C1 (dep on M1) for a statement that both LB and UB round to "7.4" to one decimal place oe
<b>15.</b>	$x$ -3   -2   -1   0   1   2   3 $y$ 0   5   8   9   8   5   0	36	4	M1 for attempting to find area under curve  M1 for correct method to find the area under the curve between $x = -3$ and $x = 3$ (at least 3 areas)  A2 for 35 – 36
<b>16.</b>		218	3	M1 for $1.2 \times 200 - 35$ (= 205) (oe)  M1 for complete iterative method, e.g. 2 months: $1.2 \times$ "205" – 35 3 months: $1.2 \times$ "211" – 35  A1 for 218, accept 218.2

**IMA1 Practice papers Set 4: Paper 2H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes	
17.	(a)	$\frac{1}{2} \times 11.6 \times 8.7 \times \sin 52^\circ$	39.8	2	M1 $\frac{1}{2} \times 11.6 \times 8.7 \times \sin 52^\circ$ or complete method to find area using trig and/or Pythagoras and $\frac{1}{2}$ base $\times$ height  A1 39.75 – 39.8
	(b)	$XZ^2$ $= 8.7^2 + 11.6^2 - 2 \times 8.7 \times 11.6 \times \cos 52^\circ$  $= 85.985$	9.27	3	M1 $8.7^2 + 11.6^2 - 2 \times 8.7 \times 11.6 \times \cos 52^\circ$  M1 for correct order of evaluation or 85.985  A1 answer in the range 9.27 – 9.275
18.			$y = \frac{10}{3}x + \frac{130}{3}$	5	B1 for stating $B$ as $(0, 5)$ or $OB = 5$ (could be written on the diagram)  B1 for $C$ as $(10, 0)$ or $OC = 10$ (could be written on the diagram) or $A$ is $(-10, 10)$ or fit from their $BC$  M1 gradient of $DA = \frac{10}{3}$ or $y = \frac{10}{3}x + c$  M1 for substitution of $x = -13, y = 0$ or $x = -10, y = 10$ in their equation  A1 $y = \frac{10}{3}x + \frac{130}{3}$ oe

**IMA1 Practice papers Set 4: Paper 2H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
19.		1.33	3	M1 for $3.4 = \frac{k}{5^2}$ (oe) or $3.4 \times 5^2 (= 85)$  M1 for ' $3.4 \times 5^2$ ' $\div 8^2$  A1 for answer in range 1.32 to 1.33 or $\frac{85}{64}$
20.	$4(2x - 1) + 3(x + 3)$ $= (x + 3)(2x - 1)$ $8x - 4 + 3x + 9$ $= 2x^2 - x + 6x - 3$ $2x^2 - 6x - 8 = 0$ $2(x - 4)(x + 1) = 0$	$x = -1, 4$	5	M1 multiplying both sides by a common denominator of $(x + 3)(2x - 1)$ (oe)  or $\frac{4(2x - 1) + 3(x + 3)}{(x + 3)(2x - 1)} (= 1)$ or better seen  or multiplying all 3 terms by $(x + 3)$ or by $(2x - 1)$  M1 (indep) for $2x^2 - x + 6x - 3$ oe seen or $8x - 4 + 3x + 9$ (oe)  A1 for $2x^2 - 6x - 8$ (oe) or $x^2 - 3x - 4 (= 0)$  M1 (dep on M2) for correct method to solve a 3 term quadratic  A1 cao for both solutions



**1MA1 Practice papers Set 4: Paper 2H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
21.	e.g. $1 \times 7.6 + 3 \times 9.4 + 2 \times 5.6$ $+ 6 \times 1.4 = 55.4$  $55.4 \div 2 = 27.7$  $27.7 - 7.6$ $= 20.1$ $20.1 \div 9.4$ $= 2.138\dots$  Median $= 55 + 2.138\dots \times 2.5$ $= 60.345\dots$	60.3	4	M1 for attempt to find the area of one bar  M1 for attempt to find total area $\div 2$ (condone one error)  M1 for correct attempt to locate median in second bar (condone one arithmetic error)  A1 for 60.3(4...)

National performance data from Results Plus

Original source of questions					Mean score of students achieving grade:								
Qn	Spec	Paper	Session YYMM	Qn	Topic	Max score	ALL	A*	A	B	C	D	E
1	4MA0	2H	1405	Q11	Graphs of functions	4	3.67	3.94	3.84	3.64	3.07	1.89	0.73
2	2MB01	1H	1411	Q06	Fuel costs	4	2.66	4.00	3.42	3.48	2.47	1.33	0.80
3	5AM2	2H	1211	Q05	Solve inequalities	4	3.17	3.95	3.69	3.30	2.96	2.59	1.00
4	5AM1	1H	1211	Q10	Reverse percentages	3	1.62	3.00	2.70	1.89	0.76	0.60	0.00
5	1MA0	2H	1406	Q22	Probability	3	1.31	2.81	2.41	1.62	0.80	0.39	0.12
6	4MA0(R)	2F	1501	Q24	Sets	5	2.09	5.00	4.00	3.00	2.67	1.31	1.00
7	5MM2	2H	1311	Q18	Solve inequalities	2	1.20	1.88	1.58	1.39	0.98	0.41	0.17
8	5AM2	2F	1106	Q19	Probability	3	0.39	3.00	2.00	1.00	0.34	0.72	0.50
9	2MB01	3H	1311	Q13	Similar triangles	4	1.15	2.97	1.97	1.04	0.47	0.08	0.02
10	5AM1	1H	1211	Q13	Simultaneous equations	5	3.58	4.88	4.70	4.15	2.92	0.67	0.00
11	5AM1	1H	1411	Q24	Compound interest	2	0.33	1.67	0.88	0.25	0.14	0.00	0.00
12	5AM2	2H	1311	Q21	Selection with or without replacement	3	1.32	2.74	2.06	1.47	0.59	0.22	0.00
13	5AM1	1H	1311	Q15	Solve linear equations	4	1.30	3.32	2.22	1.27	0.46	0.06	0.00
14	5AM2	2H	1406	Q18	Bounds	5	1.57	3.53	2.65	1.45	0.44	0.10	0.00
15	5AM2	2H	1311	Q23	Areas under curves	4	0.93	3.19	1.92	0.55	0.31	0.26	0.00
16	NEW				Iteration	3							
17	5MM2	2H	1206	Q23	Sine and cosine rule	5	2.37	4.68	3.91	2.11	0.67	0.10	0.06
18	2MB01	2H	1411	Q12	Perpendicular lines	5	0.09	0.50	0.33	0.05	0.03	0.00	0.00
19	1MA0	2H	1306	Q22	Direct and inverse proportion	3	0.34	2.30	1.03	0.20	0.02	0.00	0.00
20	1380	2H	911	Q29	Solve algebraic fraction equations	5	0.48	3.45	1.01	0.19	0.03	0.00	0.00
21	5AM1	1H	1311	Q21	Histograms and grouped data	4	0.42	2.04	0.67	0.23	0.12	0.00	0.00
						<b>80</b>							